

Janice Bearing

No.
388

Patons

KNITTING BOOK

No.
388



P&B
WOOLS

"LEE"—See page 10

1/9^d.



BABS

CORAL

Instructions are for smaller size A. Larger size B is shown thus [B—...].

THE RIGHT FRONT—Using No. 12 Needles and C, cast on 38 [B—44] stitches.

1st row.—K.2t.b.l., * P.1, K.1t.b.l., rep. from * to end of row.

2nd row.—K.2, * P.1, K.1, rep. from * to end of row. Rep. 1st and 2nd rows five [B—five] times, inc. once at beg. of needle in last row. Do not break off C.

Using No. 10 Needles proceed as follows:—

**** 1st row.**—Using M., knit plain.

2nd row.—Purl.

3rd row.—K.1M, * K.2M, K.3C, K.1M, rep. from * to last 2 sts., K.2M.

4th row.—P.1M, * P.1M, P.1C, rep. from * to last 2 sts., P.2M.

5th row.—K.1M, * K.1M, K.1C, rep. from * to last 2 sts., K.2M.

6th row.—P.1M, * P.1C, P.2M, rep. from * to last 2 sts., P.1C, P.1M.

7th row.—K.1M, * K.2M, K.1C, K.1M, K.1C, K.1M, rep. from * to last 2 sts., K.2M.

2

8th row.—P.1M, * P.2M, P.3C, P.1M, rep. from * to last 2 sts., P.2M.

9th row.—K.1M, * K.3M, K.1C, K.2M, rep. from * to last 2 sts., K.2M.

Break off C.

10th row.—Using M., purl. **

Continue in plain, smooth fabric until work measures 6½ [B—8] ins. from commencement, ending with a purl row.

Proceed as follows:—

1st row.—K.2 tog., knit to end of row.

2nd row.—Cast off 4 [B—6] sts., purl to end of row.

3rd row.—Knit to last 2 sts., K.2 tog.

4th row.—Purl.

Dec. once at beg. of needle in next and following 4th row, whilst at same time dec. once at armhole edge in next and every alt. row three times (27 [B—31] sts.).

Continue in plain, smooth fabric, dec. once at front edge in 2nd and every alt. row until 16 [B—18] sts. remain.

Work 3 [B—5] rows without shaping.

Shape shoulder as follows:—

1st row.—Work to last 8 [B—9] sts., turn.

[Continued on page 12]

Babs

IN TWO SIZES—ILLUSTRATED AT LEFT

PATONS
BEEHIVE BABY WOOL
PATONISED — Shrink Resistant

Size A—20 inch underarm—

Main Colour 2 balls.

Contrasting Colour 1 ball.

Size B—22 inch underarm—

Main Colour 2 balls.

Contrasting Colour 1 ball.

Length from top of shoulder—

Size A, 10 ins. **Size B**, 12 ins.

Length of sleeve from underarm—

Size A, 7 ins. **Size B**, 9 ins.

(or length desired).

Knitting Needles, 1 pair each Nos.

10 and 12, measured on a Beehive

Needle Gauge.

Five [B—Six] Small Beutron Buttons.

ABBREVIATIONS: See page 17.

M = Main Colour; C = Contrasting Colour.

TENSION: To get these measurements it is absolutely necessary to work at a tension to produce 8 stitches to the inch in width measured over plain, smooth fabric. Check tension—see page 17.

Coral

IN TWO SIZES—ILLUSTRATED AT RIGHT ON PAGE 2

PATONS BEEHIVE AZALEA KNITTING AND CROCHET WOOL

Size A.—20-21 inch underarm, **Main Colour 2 balls. First Contrast, 1 ball. Second Contrast, 1 ball.**

Size B.—22-23 inch underarm, **Main Colour 2 balls. First Contrast, 1 ball. Second Contrast, 1 ball.**

Length from top of shoulder **Size A**—11 ins. **Size B**—12 ins.

Length of sleeve from underarm **Size A**—2 ins. **Size B**—2½ ins.

Knitting Needles, 1 pair each Nos. 10 and 12, measured on a Beehive Needle Gauge.

Parfrey Crochet Hook, No. 12. Four Press Studs.

ABBREVIATIONS: See page 17.

TENSION: To get these measurements it is absolutely necessary to work at a tension to produce 8 stitches to the inch in width measured over plain, smooth fabric. Check tension—see page 17.

Instructions are for smaller size A. Larger size B is shown thus [B—...].

THE FRONT—Using No. 12 Needles and Main Colour, cast on 88 [B—96] stitches.

1st row.—K.2, * P.1, K.1, rep. from * to end of row. Rep. 1st row nineteen [B—twenty-three] times, inc. once at end of needle in last row (89 [B—97] sts.).

Using No. 10 Needles, proceed as follows:—

**** Using First Contrast—**

1st row.—P.1, * K.3, P.1, rep. from * to end of row.

2nd row.—K.1, * P.3, K.1, rep. from * to end of row.

3rd row.—P.1, * slip 1, K.2 tog., p.s.s.o., P.1, rep. from * to end of row.

4th row.—K.1, * (P.1, K.1, P.1) into next st., K.1, rep. from * to end of row.

Rep. 1st and 2nd rows once.

Using Main Colour, rep. 1st and 2nd rows twice.

Using Second Contrast, rep. rows 1-6 incl. once.

Using Main Colour, rep. 1st and 2nd rows twice. ******

Rep. from ****** to ****** once [B—twice], then rows 1-16 incl. once in A only.

Keeping continuity of striped patt., cast off 5 [B—6] sts. at beg. of next 2 rows, then dec. once at each end of needle in next and every alt. row until 71 [B—77] sts. remain. *******

Work 23 [B—27] rows without shaping.

Next row.—Work 26 [B—28] sts. in patt., cast off 19 [B—21] sts., work to end of row.

Continue on last 26 [B—28] sts., dec. once at neck edge in every row until 21 [B—23] sts. remain.

Work 4 rows without shaping.

Shape shoulder as follows:

1st row.—Work to last 10 [B—11] sts., turn.

2nd row.—Work to end of row. Cast off.

Join in wool at neck edge and work on remaining sts. to correspond with other side.

THE BACK—Work exactly as given for Front to ******* Continue in patt. without shaping until armholes measure same as Front armholes.

Shape shoulders as follows:—

1st and 2nd rows.—Work to last 10 [B—11] sts., turn.

3rd and 4th rows.—Work to last 21 [B—23] sts., turn.

5th row.—Work to end of row.

6th row.—Cast off 7 [B—9] sts., work 14 sts., cast off 29 [B—31] sts., work 14 sts., cast off 7 [B—9] sts.

Rejoin wool to last 14 sts. and work 5 rows in Garter Stitch for underlap. Cast off. Work other underlap in same manner.

THE SLEEVES—Using No. 12 Needles and Main Colour, cast on 68 [B—72] stitches.

1st row.—K.2, * P.1, K.1, rep. from * to end of row.

Rep. 1st row seven times, inc. once at end of needle in last row (69 [B—73] sts.).

Using No. 10 Needles, work rows 1-16 in striped patt. as given for Front.

Keeping continuity of striped patt., dec. once at each end of needle in next and every alt. row until 45 [B—49] sts. remain, then in every row until 19 [B—19] sts. remain. Work 1 row without shaping. Cast off.

Work another Sleeve in same manner.

THE FRONT NECKBAND—With right side of work facing, using No. 12 Needles and Main Colour, knit up 48 [B—50] sts. evenly round neck.

1st row.—K.2, * P.1, K.1, rep. from * to end of row.


Rep. 1st row six times. Cast off in rib.

THE BACK NECKBAND—With right side of work facing, using No. 12 Needles and Main Colour, knit up 40 [B—42] sts. across back of neck and underlaps.

1st row.—K.2, * P.1, K.1, rep. from * to end of row.

Rep. 1st row six times. Cast off in rib.

TO MAKE UP—With a slightly damp cloth and warm iron, press lightly. Using a flat seam for ribbing and a fine back-stitch seam for other seams, sew up side, shoulder seams for 1 inch, and sleeve seams. Sew in sleeves, placing seams to side seams. Sew underlaps in position. Work 1 row of d.c. along front of shoulder openings. Sew press studs in position on each shoulder. Finally, press all seams.



Barry

IN TWO SIZES — WITH "V"
OR ROUND NECK

PATONS BLUEBELL CREPE

Size A 22 inch underarm **5 ozs.**

Size B 24 inch underarm **6 ozs.**

Length from top of shoulder—

Size A, 12 ins. **Size B**, 13 ins.

Length of sleeve from underarm—

Size A 9 ins. **Size B** 10 ins.
(or length desired)

Knitting Needles, 1 pair each Nos. 9 and 12,
measured on a Beehive Needle Gauge.

ABBREVIATIONS: See page 17.

TENSION: To get these measurements it is
absolutely necessary to work at a tension to
produce $13\frac{1}{2}$ stitches to 2 inches in width
measured over plain, smooth fabric. Check
tension—see page 17.

*Instructions are for smaller size A. Larger size
B is shown thus [B—...].*

PULLOVER WITH "V" NECK.

THE FRONT—Using No. 12 Needles, cast on 72
[B—78] stitches.

1st row.—K.2, * P.1, K.1, rep. from * to end of row.
Rep. 1st row nineteen times, inc. once at end of needle
in last row in **Size B** only (72 [B—79] sts.)

Using No. 9 Needles, proceed as follows:—

1st row.—[B—K.1], * K.2, P.3, rep. from * to last 2
[B—3] sts., K.2 [B—K.3].

2nd row.—Purl.

Rep. these 2 rows until work measures 8 [B—8½] ins.
from beg., finishing with a purl row. **

Next row.—Cast off 3 [B—3] sts., work 33 [B—35]
sts. in patt., turn, [B—K.2 tog., turn].

Dec. once at armhole edge in every row five times,
whilst at same time dec. once at neck edge in follow-
ing 4th row (27 [B—30] sts.).

Continue dec. once at neck edge only in 3rd and every
following 4th row until 18 [B—20] sts. remain.

Work 2 rows in patt. without shaping.

Shape shoulder as follows:—

1st row.—Work to last 9 [B—10] sts., turn.

2nd row.—Work to end of row. Cast off.

Join in wool and work on remaining sts. to correspond
with other side, omitting K.2 tog. at centre front in
Size B.

THE BACK—Work exactly as given for Front to **.

Cast off 3 [B—3] sts. at beg. of next 2 rows, then
dec. once at each end of needle in every row five times
(56 [B—63] sts.).

Continue in patt. without shaping until armholes mea-
sure same as Front armholes.

Shape shoulders as follows:—

1st and 2nd rows.—Work to last 9 [B—10] sts., turn.

3rd and 4th rows.—Work to last 18 [B—20] sts., turn.

5th row.—Work to end of row. Cast off.

THE SLEEVES—Using No. 12 Needles, cast on 36
[B—42] stitches.

1st row.—K.2, * P.1, K.1, rep. from * to end of row.
Rep. 1st row twenty-two times.

Next row.—K.2, P.1, * inc. once in next st., rib 5,
rep. from * to last 3 sts., inc. once in next st., P.1,
K.1 (42 [B—49] sts.).

[Continued on page 13]

Christina

PATONS

BEEHIVE LADY BETTY, 3-Ply
PATONISED — Shrink Resistant

THE FROCK. 20 inch underarm . . . 4 balls.

THE KNICKERS 2 balls

If making both garments 5 balls will be sufficient.

The Frock—

Length from top of shoulder . . . 17 ins.

Length of sleeve from underarm . . 2½ ins.

The Knickers—

Length at centre front 8 ins.

Knitting Needles, 1 pair each Nos. 10 and 12,
measured on a Beehive Needle Gauge.

Parfrey Crochet Hook, No. 12.

Six Small Buttons. Length of Ribbon.

Length of Elastic.

ABBREVIATIONS: See page 17.

TENSION: To get these measurements it is absolutely necessary to work at a tension to produce 8 stitches to the inch in width measured over plain, smooth fabric. Check tension—see page 17.

THE FROCK:

THE FRONT—Using No. 10 Needles, cast on 155 stitches.

1st row.—Knit plain.

2nd row.—Purl.

Rep. 1st and 2nd rows once.

5th row.—K.1, * wl. fwd., K.2 tog., rep. from * to end of row.

Rep. 2nd row once, then 1st and 2nd rows twice.

With a fine spare needle, pick up 155 sts. evenly along cast on edge, place at back of needle in use.

11th row.—Knit plain, knitting tog. one st. from each needle to form a hem.

12th row.—Purl.

Proceed as follows:—

**** 1st row.**—K.1, * K.2 tog., wl. fwd., K.5, wl. fwd., K.2 tog.t.b.l., rep. from * to last st., K.1.

2nd and alt. rows.—Purl.



3rd row.—K.1, * K.2, wl. fwd., K.2 tog.t.b.l., K.1, K.2 tog., wl. fwd., K.2, rep. from * to last st., K.1.

5th row.—K.1, * K.3, wl. fwd., K.3 tog., wl. fwd., K.3, rep. from * to last st., K.1.

7th row.—K.1, * K.1, K.2 tog., wl. fwd., K.3, wl. fwd., K.2 tog.t.b.l., K.1, rep. from * to last st., K.1.

8th row.—Purl. **

Rep. from ** to ** three times, then 1st and 2nd rows once.

Proceed as follows:—

***** 1st row.**—* K.21, wl. fwd., K.2 tog.t.b.l., K.1, K.2 tog., wl. fwd., K.1, rep. from * four times, K.20.

2nd and alt. rows.—Purl.

3rd row.—* K.22, wl. fwd., K.3 tog., wl. fwd., K.2, rep. from * four times, K.20.


5th row.—K.20, * K.2 tog., wl. fwd., K.3, wl. fwd., K.2 tog.t.b.l., K.20, rep. from * four times.

7th row.—K.19, * K.2 tog., wl. fwd., K.5, wl. fwd., K.2 tog. t.b.l., K.18, rep. from * to last st., K.1.

8th row.—Purl. ***

Rep. from *** to *** ten times.

[Continued on page 13



Gavin

PATONS BEEHIVE
FINGERING, 4-Ply
PATONISED — Shrink Resistant

20 inch underarm 4 balls.

Length from top of shoulder 10 ins.

Length of sleeve from underarm . . 7 ins.

Knitting Needles, 1 pair each Nos. 10 and 12, measured on a Beehive Needle Gauge.

Two Stitch Holders.

Six Small Beutron Buttons.

ABBREVIATIONS: See page 17.

TENSION: To get these measurements it is absolutely necessary to work at a tension to produce $7\frac{1}{2}$ stitches to the inch in width measured over plain, smooth fabric. Check tension—see page 17.

THE FRONT—Using No. 12 Needles, cast on 75 stitches.

1st row.—K.2, * P.1, K.1, rep. from * to last st., K.1.

2nd row.—* K.1, P.1, rep. from * to last st., K.1.

Rep. 1st and 2nd rows nine times.

Using No. 10 Needles, work first half of front as follows:—

1st row.—K.49, slip remaining sts. on to a stitch holder and leave.

2nd and 4th rows.—K.2, purl to end of row.

3rd row.—K.49.

5th row.—(on which buttonholes are worked) K.28, cast off 2 sts., knit to last 4 sts., cast off 2 sts., K.2.

6th row.—K.2, cast on 2 sts., P.15, cast on 2 sts., purl to end of row.

** Rep. 3rd and 4th rows six times, 5th and 6th rows once. **

Rep. from ** to ** once, then 3rd and 4th rows three times.

Commence front slope as follows:—

Next row.—Knit to last 4 sts., K.2 tog., slip remaining 2 sts. on to a stitch holder and leave.

Next row.—Purl.

Dec. once at front edge in next row.

Work 1 row without shaping.

Commence armhole shaping and continue front slope shaping as follows:—

1st row.—Cast off 3 sts., knit to last 2 sts., K.2 tog.

2nd row.—Purl to last 2 sts., P.2 tog.

3rd row.—K.2 tog., knit to last 2 sts., K.2 tog.

4th row.—Purl to last 2 sts., P.2 tog.

5th and 6th rows.—Like 3rd and 4th rows.

The armhole shaping is now complete.

*** Continue in plain, smooth fabric dec. once at front edge in next and every alt. row until 20 sts. remain.

Continue on these sts. until work measures $3\frac{1}{2}$ ins. from beg. of armhole shaping, finishing at armhole edge.

Shape shoulder by casting off 10 sts. at beg. of next and following alt. row.

THE COLLAR—First Half.

Slip 2 sts. from stitch holder on to a No. 10 Needle, point of needle to shaped edge, and proceed in Garter Stitch on these sts. inc. once at beg. of next and every following 4th row until there are 8 sts. on needle, then every following 6th row until there are 11 sts. on needle.

[Continued on page 14]

Elizabeth

IN TWO SIZES

PATONS BEEHIVE
BABY WOOL
PATONISED — Shrink Resistant

Size A—18-19 inch underarm—

Main Colour 1 ball.
Contrasting Colour 1 ball.

Size B—20-21 inch underarm—

Main Colour 2 balls.
Contrasting Colour 1 ball.

Length from top of shoulder—

Size A .. 8½ ins. Size B .. 9½ ins.

Length of sleeve from underarm—

Both Sizes 2 ins.

Knitting Needles, 1 pair each Nos. 10 and 12, measured on a Beehive Needle Gauge.

Two Stitch Holders.

ABBREVIATIONS: See page 17. M = Main Colour, C = Contrasting Colour.

TENSION: To get these measurements it is absolutely necessary to work at a tension to produce 8 stitches to the inch in width measured over plain, smooth fabric. Check tension—see page 17.

Instructions are for smaller size A. Larger size B is shown thus [B—...].

The Bolero is knitted in one piece to underarm. (Wind Contrasting Colour into 2 balls.)

Using No. 10 Needles and C, cast on 159 [B—175] stitches.

1st row.—K.2, * P.1, K.1, rep. from * to last st., K.1.

2nd row.—* K.1, P.1, rep. from * to last st., K.1.

Rep. 1st and 2nd rows once, then 1st row once.

6th row.—Work 7 sts. in rib, inc. once in next st., work in rib to end of row (160 [B—176] sts.).

Join in M. and proceed as follows:—

**** 1st row.**—K.1C, (K.1, P.1)C three times, K.146M [B—K.162M], join in 2nd ball of C, (P.1, K.1)C three times, K.1C.

2nd row.—K.1C, (P.1, K.1)C, three times (twist wools where they meet thus avoiding a gap in work) P.146M [B—P.162M], (K.1, P.1)C, three times, K.1C.

3rd row.—K.1C, (K.1, P.1)C three times, K.2M, * K.2C, K.2M, rep. from * to last 7 sts., (P.1, K.1)C, three times, K.1C.

4th row.—K.1C, (P.1, K.1)C three times, P.2M, * P.2C, P.2M, rep. from * to last 7 sts., (K.1, P.1)C three times, K.1C. **

Continue in patt. as given from ** to ** until work measures 5 [B—5½] ins. from commencement.

Divide for armholes as follows:—

Next row.—Rib 7 sts. in C, work 33 [B—37] sts. in patt., turn.

Cast off 3 [B—4] sts. at beg. of next row and work in patt. to last 7 sts., rib 7C.

Keeping continuity of patt. and border, dec. once at armhole edge in every row until 31 [B—34] sts. remain.

Continue in patt. without shaping until armhole measures 2½ [B—3] ins. from commencement of armhole shaping, finishing so that right side of work will be facing when commencing next row.

Next row.—Rib 7 sts. and leave on stitch holder, cast off next 2 [B—3] sts., work to end of row.

Continue in patt., dec. once at beg. of needle in every alt. row until 18 [B—20] sts. remain.

Continue without further shaping until armhole measures 3½ [B—4] ins. from commencement of armhole shaping, finishing at neck edge.

[Continued on page 15





Colin

IN TWO SIZES

PATONS BEEHIVE
FINGERING, 4-Ply
PATONISED — Shrink Resistant

THE PULLOVER—

Size A.—21-22 inch underarm—
Main Colour 3 balls.
Contrasting Colour 1 ball.
Size B.—24-25 inch underarm—
Main Colour 4 balls.
Contrasting Colour 1 ball.
Length from top of shoulder—
Size A 12 ins. Size B 13 ins.
Length of sleeve from underarm—
Size A 9 ins. Size B 10½ ins.

THE CAP—To fit average head—Both Sizes.

Main Colour 2 balls.
Contrasting Colour 1 ball.

THE TROUSERS (Both Sizes) 6 balls.

Length of front seam—
Size A 9 ins. Size B 10 ins.
Length of leg seam (with cuff turned back)—
Size A 13½ ins. Size B 14½ ins.

Knitting Needles, 1 pair each Nos. 9, 10, 11 and 12.
1 set of four No. 12, measured on a Beehive Needle Gauge.

Two Stitch Holders.

Length of Elastic for Trousers.

ABBREVIATIONS: See page 17. M = Main Colour, C = Contrasting Colour.

TENSION: To get these measurements it is absolutely necessary to work at a tension to produce 7½ stitches to the inch in width measured over plain, smooth fabric. Check tension—see page 17.

Instructions are for smaller size A. Larger size B is shown thus [B—...].

THE PULLOVER.

THE FRONT—Using No. 12 Needles and M, cast on 74 [B—82] stitches.

1st row.—K.2, * P.1, K.1, rep. from * to end of row. Rep. 1st row twenty [B—twenty-two] times.

Next row.—K.1 [B—rib 4], * inc. once in next st., work 8 sts. in rib, rep. from * to last st., inc. once in last st. [B—to last 6 sts., inc. once in next st., work 5 sts. in rib] (83 [B—91] sts.).

Using No. 10 Needles and C, proceed as follows:—

**** 1st row.**—Knit plain. **2nd row.**—Purl.

Rep. 1st and 2nd rows once.

Using M, rep. 1st and 2nd rows once.

8

Using C, rep. 1st and 2nd rows twice.

Using M, rep. 1st and 2nd rows once.

Using C, rep. 1st and 2nd rows twice.

Using M, rep. 1st and 2nd rows once.

Using C, rep. 1st and 2nd rows once.

Using M, rep. 1st and 2nd rows once.

Using C, rep. 1st and 2nd rows once.

Using M, rep. 1st and 2nd rows once.

Using C, rep. 1st and 2nd rows once. **

Using M, work in plain, smooth fabric until work measures 8 [B—8½] ins. from commencement, ending with a purl row.

Cast off 3 [B—5] sts. at beg. of next 2 rows, then dec. once at each end of needle in next and every alt. row until 67 [B—71] sts. remain. ***

Work in plain, smooth fabric until armholes measure 3 [B—3] ins., ending with a purl row.

In next row.—K.23 [B—K.25], turn.

Continue on these 23 [B—25] sts., dec. once at neck edge in every row until 19 [B—21] sts. remain.

Work 6 rows without shaping.

[Continued on page 16]

Eric

IN TWO SIZES

PATONS TOTEM KNITTING WOOL

Size A 22 inch underarm **6 ozs.**

Size B 24 inch underarm **7 ozs.**

Length from top of shoulder—

Size A 12 ins. **Size B** 13 ins.

Length of sleeve from underarm—

Size A 9 ins. **Size B** 10 ins.
(or length desired)

Parfrey Knitting Needles, 1 pair each Nos. 7 and 10, measured on a Beehive Needle Gauge.

Six Press Studs.

ABBREVIATIONS: See page 17.

TENSION: To get these measurements it is absolutely necessary to work at a tension to produce $11\frac{1}{2}$ stitches to 2 inches in width, measured over plain, smooth fabric. Check tension—see page 17.

Instructions are for smaller size A. Larger size B is shown thus [B—...].

THE FRONT—Using No. 10 Needles, cast on 58 [B—64] stitches.

1st row.—K.2, * P.1, K.1, rep. from * to end of row. Rep. 1st row fourteen [B—seventeen] times, inc. once at end of needle in last row in A only. (59 [B—64] sts.).

Using No. 7 Needles, proceed as follows:—

1st row.—Knit plain. **2nd row.**—Purl.

Continue in plain, smooth fabric until work measures 8 [B—8½] ins. from commencement, ending with a purl row.

Cast off 3 [B—3] sts. at beg. of next 2 rows. Dec. once as each end of needle in every row five times (43 [B—48] sts.). **

Continue in plain, smooth fabric until armholes measure $2\frac{1}{2}$ [B—3] ins. from commencement of armhole shaping, finishing with a purl row.

Next row.—K.17 [B—K.19], cast off 9 [B—10] sts., knit to end of row.

Continue on last 17 [B—19] sts., dec. once at neck edge in every row until 14 [B—16] sts. remain.

Continue without shaping until armhole measures 4 [B—4½] ins. from commencement, finishing at neck edge.

Shape shoulder as follows:—

1st row.—Work to last 7 [B—8] sts., turn.

2nd row.—Work to end of row. Cast off.

Join in wool at neck edge and work on remaining sts. to correspond with other side.

THE BACK—Work exactly as given for Front to **. Continue in plain, smooth fabric until armholes measure same as Front armholes.

Shape shoulders as follows:—

1st and 2nd rows.—Work to last 7 [B—8] sts., turn.

3rd and 4th rows.—Work to last 14 [B—16] sts., turn.


5th row.—Work to end of row. Cast off.

THE SLEEVES—Using No. 10 Needles, cast on 30 [B—32] stitches.

1st row.—K.2, * P.1, K.1, rep. from * to end of row. Rep. 1st row fourteen [B—sixteen] times.

Next row.—Rib 2 [B—rib 3], (inc. once in next st., rib 4) five times, inc. once in next st., rib to end (36 [B—38] sts.).

[Continued on page 17]





Lee

IN TWO SIZES—JUMPER WITH SHORT OR LONG SLEEVES
—ILLUSTRATED ALSO ON FRONT AND BACK COVERS

PATONS BEEHIVE AZALEA KNITTING AND CROCHET WOOL

NOTE.—If making this Cardigan for a boy, make buttonholes on Left Front.

THE JUMPER: Size A—20-21 inch underarm—

Short Sleeves 3 balls. Long Sleeves 4 balls.

Size B—22-23 inch underarm—

Short Sleeves 3 balls. Long Sleeves 4 balls.

Small Quantities of Contrasting Colours for Motifs.

THE CARDIGAN—Size A 4 balls. Size B 4 balls.

The Jumper—Length from top of shoulder—

Size A 11½ ins. Size B 12 ins.

Length of sleeve from underarm—

Size A—Short 2½ ins. Long 9 ins.
(or length desired)

Size B—Short 3 ins. Long 10 ins.
(or length desired)

The Cardigan: Length from top of shoulder—

Size A 12 ins. Size B 12½ ins.

Length of Sleeve from underarm—

Size A 9 ins. Size B 10 ins.
(or length desired)

Knitting Needles, 1 pair each Nos. 10 and 12,
measured on a Beehive Needle Gauge.

Parfrey Crochet Hook, No. 12.

Two Stitch Holders. Three Press Studs.

Six Small Beutron Buttons.

ABBREVIATIONS: See page 17.

TENSION: To get these measurements it is absolutely necessary to work at a tension to produce 8 stitches to the inch in width measured over plain, smooth fabric. Check tension—see page 17.

Instructions are for smaller size A. Larger size B is shown thus [B—...].

THE JUMPER:

THE FRONT—Using No. 12 Needles, cast on 76 [B—84] stitches.

1st row.—K.2, * P.1, K.1, rep. from * to end of row.
Rep. 1st row twenty-three [B—twenty-five] times.

Using No. 10 Needles, proceed as follows:—

1st row.—K.10 [B—K.14], inc. once in next st., * K.8, inc. once in next st., rep. from * to last 11 [B—15] sts., K.11 [B—K.15] (83 [B—91] sts.).

2nd row.—Purl.

3rd row.—Knit plain.

Rep. 2nd and 3rd rows twenty-nine [B—thirty-one] times, then 2nd row once.

Cast off 5 [B—6] sts. at beg. of next 2 rows, then dec. once at each end of needle in next and every alt. row until 65 [B—71] sts. remain. **

Work 25 [B—25] rows in plain, smooth fabric without shaping.

In next row.—K.23 [B—K.25], turn.

Continue on these 23 [B—25] sts., dec. once at neck edge in every alt. row until 18 [B—20] sts. remain.

[Continued on page 17]




CHART FOR EMBROIDERY
"LEE" (JUMPER)

Features of CAT, RABBIT and DOG are embroidered in contrasting colours after knitting stitch has been completed.

CAT—eyes, mouth and

Ivan

IN TWO SIZES

ILLUSTRATED AT RIGHT, BELOW, ALSO ON BACK COVER

PATONS BEEHIVE FINGERING, 3-Ply — PATONISED — Shrink Resistant

Size A 22-23 inch underarm **4 balls.** **Size B** 24-25 inch underarm **4 balls.**

Length from top of shoulder— **Size A** 12½ ins. **Size B** 13½ ins.

Length of sleeve from underarm— **Size A** 9 ins. **Size B** 10 ins.

Knitting Needles, 1 pair each Nos. 10 and 12, measured on a Beehive Needle Gauge.

Parfrey Crochet Hook, No. 12.

Four Small Beutron Buttons.

ABBREVIATIONS: See page 17.

TENSION: To get these measurements it is absolutely necessary to work at a tension to produce 8 stitches to the inch, measured over plain, smooth fabric. Check tension—see page 17.

Instructions are for smaller size A. Larger size B is shown thus [B—...].

THE FRONT—Using No. 12 Needles, cast on 94 [B—106] stitches.

1st row.—K.2, * P.1, K.1, rep. from * to end of row. Rep. 1st row twenty-five [B—twenty-seven] times, inc. once at end of needle in last row.

Using No. 10 Needles, proceed as follows:—

**** 1st row.**—K.4, P.3, * K.4, P.1, K.4, P.3, rep. from * to last 4 sts., K.4.

2nd row.—K.1, P.3, * K.3, P.4, K.1, P.4, rep. from * to last 7 sts., K.3, P.3, K.1. **

Rep. from ** to ** until work measures 8 [B—8½] ins. from commencement, ending with 2nd row.

Keeping continuity of patt., cast off 5 sts. at beg. of next 2 rows, then dec. once at each end of needle in next 5 rows then the next alt. row once. Work 1 row (73 [B—85] sts.).

Proceed as follows:—

1st row.—K.2 tog., K.3, * P.3, slip next 4 sts. on to a spare needle and leave at front of work, K.4, P.1, K.4 sts. from spare needle, rep. from * four [B—five] times, P.3, K.3, K.2 tog.

2nd row.—K.1, P.3, * K.3, P.4, K.1, P.4, rep. from * to last 7 sts., K.3, P.3, K.1.

Rep. from ** to ** three times.

9th row.—Like 1st row, beg. and ending with K.4.

10th row.—Like 2nd row.

Rep. from ** to ** eleven [B—twelve] times. ***

Proceed as follows:—

1st row.—Work 26 [B—30] sts. in patt., cast off 19 [B—23] sts., work in patt. to end of row.

Continue on last 26 [B—30] sts., dec. once at neck edge in next 4 rows, then in every following alt. row twice.


Work 1 [B—5] row/s without shaping.

Shape shoulder as follows:—

1st row.—Work to last 10 [B—12] sts., turn.

2nd row.—Work to end of row. Cast off.

Join in wool at neck edge and work on remaining sts. to correspond with other side.



CAT — eyes, mouth and whiskers. RABBIT — eyes, nose, mouth and whiskers. DOG — eyes, eyebrows, nose and outline of ears.



THE BACK—Work exactly as given for Front to ***. Work 10 [B—14] rows in patt. without shaping.

Shape shoulders as follows:—

1st and 2nd rows.—Work to last 10 [B—12] sts., turn.

3rd and 4th rows.—Work to last 20 [B—24] sts., turn.

5th row.—Work to end of row. Cast off.

THE SLEEVES—Using No. 12 Needles, cast on 46 [B—52] stitches.

1st row.—K.2, * P.1, K.1, rep. from * to end of row. Rep. 1st row seventeen [B—nineteen] times, inc. once at each end of needle in last row.

Using No. 10 Needles, proceed as follows:—

1st row.—K.1 [B—K.4], * P.2, K.4, P.1, K.4, rep. from * to last 3 [B—6] sts., P.2, K.1 [B—P.2, K.4].

2nd row.—K.3 [B—K.1, P.3, K.2], * P.4, K.1, P.4, K.2, rep. from * to last st., K.1 [B—to last 4 sts., P.3, K.1].

Continue in rib, inc. once at each end of needle in next and every following 8th row until there are 66 [B—74] sts. on needle.

Continue in patt. without shaping until work measures 9 [B—10] ins. from commencement.

Proceed as follows:—

*** Cast off 2 sts. at beg. of next 2 rows.

Dec. once at beg. of next 2 rows. **

Rep. from ** to ** until 30 [B—28] sts. remain. Cast off.

Work another Sleeve in same manner.

THE NECKBAND—Using a fine back-stitch seam, sew up right shoulder seam. With right side of work facing, and using No. 12 Needles, knit up 88 [B—100] sts. evenly round neck.

1st row.—K.2, * P.1, K.1, rep. from * to end of row. Rep. 1st row five [B—seven] times. Cast off in rib.

TO MAKE UP—With a slightly damp cloth and warm iron, press lightly. Using a flat seam for ribbing and a fine back-stitch seam for other seams, sew up side, left shoulder for $\frac{1}{4}$ inch, and sleeve seams. Sew in sleeves, placing seams to side seams. With right side of work facing and using No. 12 Needles, knit up 20 [B—24] sts. evenly along back of shoulder opening. Work 4 rows in Garter Stitch. Cast off. Using Crochet Hook, work 1 row of d.c. making 4 button loops of 4 ch. along front of shoulder. Sew on buttons to correspond with loops. Finally, press all seams.

Babs (continued from page 2)

2nd row.—Work to end of row. Cast off.

THE LEFT FRONT—Using No. 12 Needles and C, cast on 38 [B—44] stitches.

1st row.—* K.1t.b.l., P.1, rep. from * to last 2 sts., K.2t.b.l.

2nd row.—* K.1, P.1, rep. from * to last 2 sts., K.2.

Rep. 1st and 2nd rows five [B—five] times, inc. once at end of needle in last row.

Work to correspond with Left Front, working shapings at opposite ends of needle.

THE BACK—Using No. 12 Needles and C, cast on 80 [B—86] stitches.

1st row.—K.2t.b.l., * P.1, K.1t.b.l., rep. from * to end of row.

2nd row.—K.2, * P.1, K.1, rep. from * to end of row.

Rep. 1st and 2nd rows five [B—five] times, inc. once at end of needle in last row (81 [B—87] sts.).

Work as given from ** to ** for Right Front.

Continue in plain, smooth fabric until work measures $6\frac{1}{2}$ [B—8] ins. from commencement, ending with a purl row.

Cast off 4 [B—6] sts. at beg. of next 2 rows, then dec. once at each end of needle in next and every alt. row until 63 [B—65] sts. remain.

Continue in plain smooth fabric until armholes measure same as Front armholes.

Shape shoulders as follows:—

1st and 2nd rows.—Work to last 8 [B—9] sts., turn.

3rd and 4th rows.—Work to last 16 [B—18] sts., turn.

5th row.—Work to end of row. Cast off.

THE SLEEVES—Using No. 12 Needles and C, cast on 46 [B—52] stitches.

1st row.—K.2t.b.l., * P.1, K.1t.b.l., rep. from * to end of row.

2nd row.—K.2, * P.1, K.1, rep. from * to end of row.

Rep. 1st and 2nd rows five [B—five] times, dec. once at end of needle in last row (45 [B—51] sts.).

Work as given from ** to ** for Right Front.

Continue in plain, smooth fabric, inc. once at each end of needle in next and every following 6th [B—8th] row until there are 61 [B—67] sts. on needle.

Continue without shaping until side edge measures 7 [B—9] ins. (or length desired) from commencement, ending with a purl row.

Dec. once at each end of needle in next and every alt. row until 37 [B—33] sts. remain, then in every row until 23 [B—23] sts. remain. Cast off.

Work another Sleeve in same manner.

THE FRONT BAND—Using No. 12 Needles and C, cast on 9 stitches.

1st row.—K.2t.b.l., (P.1, K.1t.b.l.) three times, K.1t.b.l.

2nd row.—(K.1, P.1) four times, K.1.

3rd row.—K.2t.b.l., P.1, K.1t.b.l., wl. fwd., K.2 tog.t.b.l., P.1, K.2t.b.l.

4th row.—Like 2nd row.

Continue in rib, making a buttonhole as before in every following 14th row from previous buttonhole until 5 [B—6] buttonholes in all have been worked.

Continue without further buttonholes until work measures length required to fit along both fronts and across back of neck. Cast off in rib.

TO MAKE UP—With a slightly damp cloth and warm iron, press lightly. Using a flat seam for ribbing and a fine back-stitch seam for other seams, sew up side, shoulder and sleeve seams. Sew in sleeves, placing seams to side seams. Using a fine back-stitch seam, sew front band in position. Sew on buttons to correspond with buttonholes. Finally, press all seams.

Barry *(continued from page 4)*

Using No. 9 Needles, proceed as follows:—

1st row.—[B—K.1] * K.2, P.3, rep. from * to last 2 [B—3] sts., K.2 [B—K.3].

2nd row.—Purl.

Continue in patt., inc. once at each end of needle in next and every following 6th row until there are 56 [B—63] sts. on needle.

Continue in patt. without shaping until work measures 9 [B—10] ins. (or length desired) from commencement.

Cast off 3 sts. at beg. of next 2 rows, then dec. once at each end of needle in next and every alt. row until 22 [B—23] sts. remain.

Work 1 row without shaping. Cast off.

Work another Sleeve in same manner.

THE NECKBAND—Using a fine back-stitch seam sew up right shoulder seam. With right side of work facing and using No. 12 Needles, knit up 49 [B—53] sts. along left side of neck (knitting up last st. from centre front) 48 [B—52] sts. along right side of neck and 21 [B—23] sts. across back of neck (118 [B—128] sts.).

Work 5 rows in K.1, P.1 rib, dec. once at each side of centre point of V in every row. Cast off loosely in rib.

PULLOVER WITH ROUND NECK.

THE FRONT—Work exactly as given for Front of Pullover with "V" Neck to **.

Cast off 3 [B—3] sts. at beg. of next 2 rows, then dec. once at each end of needle in every row five times (56 [B—63] sts.).

Work 17 rows in patt. without shaping.

Work 23 [B—26] sts. in patt., cast off 10 [B—11] sts., work in patt. to end of row.

Continue in patt. on last 23 [B—26] sts. dec. once at neck edge in every alt. row until 18 [B—20] sts. remain.

Work 9 [B—11] rows in patt. without shaping.

Shape shoulder as follows:—

1st row.—Work to last 9 [B—10] sts., turn.

2nd row.—Work to end of row. Cast off.

Join in wool and work on remaining sts. to correspond with other side.

THE BACK AND SLEEVES—Work exactly as given for Back and Sleeves of Pullover with "V" Neck.

THE NECKBAND—Using a fine back-stitch seam, sew up right shoulder seam. With right side of work facing and using No. 12 Needles, knit up 82 [B—88] sts. evenly round neck.

1st row.—* K.1, P.1, rep. from * to end of row.

Rep. 1st row four times. Cast off loosely in rib.

TO MAKE UP—With a slightly damp cloth and warm iron, press lightly. Using a flat seam for ribbing and a fine back-stitch seam for other seams, sew up side, left shoulder and sleeve seams. Sew in sleeves, placing seams to side seams. Finally, press all seams.

Christina *(continued from page 5)*

Using No. 12 Needles, proceed as follows:—

1st row.—K.2 tog., * (K.2 tog.) four times, K.1, rep. from * to end of row (86 sts.).

2nd and 3rd rows.—Knit plain.

4th row.—Purl.

5th row.—K.2 tog., K.1, * (w.r.n.) twice, K.3 tog., (w.r.n.), twice, K.3, rep. from * to last 5 sts. (w.r.n.) twice, K.3 tog., (w.r.n.) twice, K.2.

6th row.—Like 4th row.

7th and 8th rows.—Knit plain.

Using No. 10 Needles, proceed as follows:—

1st row.—K.8, * K.2 tog., wl. fwd., K.5, wl. fwd., K.2 tog.t.b.l., K.6, rep. from * four times, K.2.

2nd and alt. rows.—Purl.

3rd row.—K.10, * wl. fwd., K.2 tog.t.b.l., K.1, K.2 tog., wl. fwd., K.10, rep. from * to end of row.

5th row.—K.10, * K.1, wl. fwd., K.3 tog., wl. fwd., K.11, rep. from * to end of row.

7th row.—Cast off 4 sts., K.5, * K.2 tog., wl. fwd., K.3, wl. fwd., K.2 tog.t.b.l., K.8, rep. from * four times, K.1.

8th row.—Cast off 4 sts., purl to end of row.

Keeping continuity of patt., dec. once at each end of needle in next and every alt. row until 71 sts. remain. ****

Work 37 rows in patt. without shaping.

In next row.—Work 26 sts. in patt., cast off 19 sts., work in patt. to end of row.

Continue in patt. on last 26 sts., dec. once at neck edge in every row until 18 sts. remain.

Shape shoulder as follows:—

1st row.—Work to last 9 sts., turn.

2nd row.—Work to end of row. Cast off.

Join in wool at neck edge and work on remaining sts. to correspond with other side.

THE BACK—Work exactly as given for Front to ****

Continue in patt. until armholes measure same as Front armholes.

Shape shoulders as follows:—

1st and 2nd rows.—Work to last 9 sts., turn.

3rd and 4th rows.—Work to last 18 sts., turn.

5th row.—Work to end of row. Cast off.

THE SLEEVES—Using No. 12 Needles, cast on 48 stitches.

1st row.—Knit plain.

2nd row.—Purl.

Rep. 1st and 2nd rows once.

5th row.—K.2, * wl. fwd., K.2 tog., rep. from * to end of row.

Rep. 2nd row once, then 1st and 2nd rows twice.

With a fine spare needle pick up 48 sts. evenly along cast on edge, place at back of needle in use.

11th row.—Knit plain, knitting tog. one st. from each needle to form a hem.

12th row.—P.4, * inc. once in next st., P.1, rep. from * to last st., P.1 (71 sts.).

Using No. 10 Needles, proceed as follows:—

**** 1st row.**—K.1, * K.2 tog., wl. fwd., K.5. wl. fwd., K.2 tog.t.b.l., K.6, rep. from * three times, K.2 tog., wl. fwd., K.5, wl. fwd., K.2 tog.t.b.l., K.1.

2nd and alt. rows.—Purl.

3rd row.—K.3, * wl. fwd., K.2 tog.t.b.l., K.1, K.2 tog., wl. fwd., K.10, rep. from * three times, wl. fwd., K.2 tog.t.b.l., K.1, K.2 tog., wl. fwd., K.3.

5th row.—K.4, * wl. fwd., K.3 tog., wl. fwd., K.12, rep. from * three times, wl. fwd., K.3 tog., wl. fwd., K.4.

7th row.—K.2, * K.2 tog., wl. fwd., K.3, wl. fwd., K.2 tog.t.b.l., K.8, rep. from * three times, K.2 tog., wl. fwd., K.3, wl. fwd., K.2 tog.t.b.l., K.2.

8th row.—Purl. **

Rep. from ** to ** twice.

Keeping continuity of patt. dec. once at each end of needle in next and every alt. row until 45 sts. remain. Cast off.

Work another Sleeve in same manner.

THE FRONT NECKBAND—With right side of work facing and using No. 12 Needles, knit up 40 sts. evenly round front of neck.

**** 1st row.**—Purl.

2nd row.—Knit plain.

Rep. 1st row once.

4th row.—K.2, * wl. fwd., K.2 tog., rep. from * to end of row.

Rep. 1st, 2nd and 3rd rows once. Cast off. **

THE BACK NECKBAND—With right side of work facing and using No. 12 Needles, knit up 30 sts. evenly across back of neck.

Work as given from ** to ** for Front Neckband.

TO MAKE UP—With a slightly damp cloth and warm iron, press lightly. Using a fine back-stitch seam sew up side, shoulder seams for $\frac{1}{2}$ an inch. Sew in sleeves, placing seams to side seams. Using Crochet Hook, work 1 row of d.c. round shoulder openings, making 3 buttonloops on each front shoulder. Sew on buttons to correspond with loops. Thread ribbon through holes at waist. Finally, press all seams.

THE KNICKERS:

THE LEFT LEG—Using No. 10 Needles, cast on 92 stitches.

1st row.—Knit plain.

2nd row.—K.1, purl to last st., K.1.

Rep. 1st and 2nd rows once.

5th row.—K.2, * wl. fwd., K.2 tog., rep. from * to end of row.

Rep. 2nd row once, then 1st and 2nd rows twice.

With a fine spare needle, pick up 92 sts. evenly along cast on edge, place at back of needle in use.

11th row.—Knit plain, knitting tog. one st. from each needle to form a hem.

12th row.—Like 2nd row.

Work in patt. as given from ** to ** for Front of Frock, four times, then 1st and 2nd rows once.

In next row.—K.5, * inc. once in next st., K.8, rep. from * to last 6 sts., inc. once in next st., K.5 (102 sts.). ***

Work 51 rows in plain, smooth fabric without shaping.

Proceed as follows:—

1st row.—K.80, turn.

2nd and alt. rows.—Purl to last st., K.1.

3rd row.—K.68, turn. **5th row.**—K.56, turn.

7th row.—K.44, turn. **9th row.**—K.32, turn.

10th row.—Purl to last st., K.1.

11th row.—K.2, * K.2 tog., K.3, rep. from * to last 5 sts., K.2 tog., K.3, (82 sts.).

Using No. 12 Needles, proceed as follows:—

1st row.—K.2, * P.1, K.1, rep. from * to end of row. Rep. 1st row six times.

8th row.—K.1, * (w.r.n.) twice, K.2 tog., rep. from * to last st., K.1.

Rep. 1st row three times. Cast off in rib.

THE RIGHT LEG—Work exactly as given for Left Leg to ***

Work 50 rows in plain, smooth fabric without shaping. Proceed as follows:—

1st row.—K.1, P.79, turn.

2nd and alt. rows.—Knit plain to end of row.

3rd row.—K.1, P.67, turn.

5th row.—K.1, P.55, turn.

7th row.—K.1, P.43, turn.

9th row.—K.1, P.31, turn.

10th row.—Knit plain to end of row.

11th row.—K.1, purl to last st., K.1.

12th row.—K.2, * K.2 tog., K.3, rep. from * to last 5 sts., K.2 tog., K.3 (82 sts.).

Using No. 12 Needles, proceed as follows:—

1st row.—K.2, * P.1, K.1, rep. from * to end of row. Rep. 1st row six times.

8th row.—K.1, * (w.r.n.) twice, K.2 tog., rep. from * to last st., K.1.

Rep. 1st row three times. Cast off in rib.

THE GUSSET—Using No. 10 Needles, cast on 25 stitches.

Work 28 rows in plain, smooth fabric without shaping. Cast off.

TO MAKE UP—With a slightly damp cloth and warm iron, press lightly. Using a flat seam sew up front and back seams from top to last row of patt. Sew up 1 inch of each leg. Sew gusset in position. Thread elastic through holes at top. Finally, press all seams.

Gavin (continued from page 6)

Continue on these sts. until work measures $7\frac{1}{2}$ ins. (not stretched) from commencement of Collar. Cast off.

Slip 26 sts. left on stitch holder on to a No. 12 Needle, point to inside edge, cast on 23 sts.

Using No. 10 Needles, proceed for second half of front as follows:—

1st row.—Knit plain.

2nd row.—Purl to last 2 sts., K.2.

Rep. 1st and 2nd rows eighteen times, then 1st row once.

Next row.—Purl to last 2 sts., slip last 2 sts on to a stitch holder and leave.

Commence front slope as follows:—

Next row.—K.2 tog., knit to end of row.

Next row.—Purl.

Dec. once at front edge in next and following alt. row.

Commence armhole shaping and continue front slope shaping as follows:—

1st row.—Cast off 3 sts., purl to end of row.

2nd row.—K.2 tog., knit to last 2 sts., K.2 tog.

3rd row.—P.2 tog., purl to end of row.

Rep. 2nd and 3rd rows once.

Complete as for first half of Front, working from *** to end.

THE COLLAR—Second Half.

Slip 2 sts. from stitch holder on to a No. 10 Needle, point to shaped edge and proceed in Garter Stitch on these sts., inc. once at beg. of needle in next and every following 4th row until there are 8 sts. on needle, then every following 6th row until there are 11 sts. on needle.

Continue in Garter Stitch until work measures same as first half of Collar. Cast off.

THE BACK—Using No. 12 Needles, cast on 74 stitches.

1st row.—K.2, * P.1, K.1, rep. from * to end of row. Rep. 1st row nineteen times, inc. once at end of needle in last row.

Using No. 10 Needles, proceed as follows:—

1st row.—Knit plain.

2nd row.—Purl.

Rep. 1st and 2nd rows twenty-one times.

Shape armholes by casting off 3 sts. at beg. of next 2 rows, then dec. once at each end of needle in every row until 61 sts. remain.

Continue without shaping until armholes measure same as Front armholes.

Shape shoulders by casting off 10 sts. at beg. of next 4 rows. Cast off.

THE SLEEVES—Using No. 12 Needles, cast on 38 stitches.

1st row.—K.2, * P.1, K.1, rep. from * to end of row. Rep. 1st row for 1½ ins.

Next row.—Rib 3 (inc. once in next st., rib 3) eight times, inc. once in next st., rib to end of row (47 sts.). Using No. 10 Needles, proceed in plain, smooth fabric, inc. once at each end of needle in 11th and every following 10th row until there are 55 sts. on needle.

Continue on these sts. until work measures 7 ins. from commencement.

Cast off 2 sts. at beg. of next 2 rows.

Dec. once at each end of needle in next and every alt. row until 33 sts. remain, then at each end of every row until 19 sts. remain. Cast off.

Work another Sleeve in same manner.

TO MAKE UP—With a slightly damp cloth and warm iron, press lightly. Using a flat seam for ribbing and a fine back-stitch seam for other seams, sew up side, shoulder and sleeve seams. Sew in sleeves placing seams to side seams. Sew 23 cast-on sts. in position at top of ribbing. Using a flat seam, join collar and sew to back of neck. Sew on buttons to correspond with buttonholes. Finally, press all seams.

Elizabeth (continued from page 7)

Shape shoulder as follows:—

1st row.—Work to last 9 [B—10] sts., turn.

2nd row.—Work to end of row. Cast off.

Join in wool at armhole and proceed as follows:—

Next row.—Cast off 3 [B—4] sts., work 77 [B—84] sts. in patt., turn.

Next row.—Cast off 3 [B—4] sts., work to end of row.

Keeping continuity of patt. dec. once at each end of needle in every row until 62 [B—68] sts. remain.

Continue in patt. without shaping until armholes measure same as Front armholes.

Shape shoulders as follows:—

1st and 2nd rows.—Work to last 9 [B—10] sts., turn.

3rd and 4th rows.—Work to last 18 [B—20] sts., turn.

5th row.—Work to end of row. Cast off.

Join in wool at armhole edge and work Left Front as follows:—

Cast off 3 [B—4] sts., work to last 7 sts., rib 7C.

Work on these sts. to correspond with Right Front, working shapings at opposite ends of needle.

THE SLEEVES—Using No. 10 Needles and C., cast on 52 [B—56] stitches.

1st row.—K.2, * P.1, K.1, rep. from * to end of row. Rep. 1st row four times.

6th row.—* Rib 3, inc. once in next st., rep. from * to end of row (65 [B—70] sts.).

Join in M. and proceed as follows:—

**** 1st row.**—Using M, knit plain.

2nd row.—Using M, purl.

3rd row.—K.1 [B—K.2] M, * K.2C, K.2M, rep. from * to end of row.

4th row.—* P.2M, P.2C, rep. from * to last st [B—to last 2 sts.], P.1M [B—P.2M]. **

Continue in patt. as given from ** to ** until side edge measures 2 ins. from commencement, finishing so that right side of work will be facing when working next row.

Dec. once at each end of needle in next and every alt. row until 49 [B—50] sts. remain, then in every row until 25 [B—28] sts. remain. Cast off.

Work another Sleeve in same manner.

THE NECKBAND—Using a fine back-stitch seam, sew up shoulder seams. With right side of work facing and using No. 12 Needles and C., knit up 71 [B—79] sts. evenly round neck (including sts. from stitch holders).

1st row.—K.1, * P.1, K.1, rep. from * to end of row.

2nd row.—K.2, * P.1, K.1, rep. from * to last st., K.1. Rep. 1st and 2nd rows three times. Cast off in rib.

TO MAKE UP—With a slightly damp cloth and warm iron, press lightly. Using a fine back-stitch seam, sew up sleeve seams. Sew in sleeves. Finally, press all seams.

Colin *(continued from page 8)*

Shape shoulder as follows:—

1st row.—Work to last 9 [B—10] sts., turn.

2nd row.—Work to end of row. Cast off. Slip next 21 sts. on to a stitch holder, then join in wool at neck edge and work on remaining sts. to correspond with other side.

THE BACK—Work as given for Front to ***. Continue without shaping until armholes measure same as Front armholes.

Shape shoulders as follows:—

1st and 2nd rows.—Work to last 9 [B—10] sts., turn.

3rd and 4th rows.—Work to last 19 [B—21] sts., turn.

5th row.—Work to end of row.

6th and 7th rows.—Cast off 19 [B—21] sts., work to end of row.

Leave remaining sts. on a stitch holder.

THE SLEEVES—Using No. 12 Needles and M, cast on 42 [B—46] stitches.

1st row.—K.2, * P.1, K.1, rep. from * to end of row. Rep. 1st row twenty-two [B—twenty-four] times.

Next row.—K.1 [B—rib 3], * inc. once in next st., work 7 sts. in rib, rep. from * to last st. [B—to last 3 sts.], inc. once in next st. [B—rib 2] (48 [B—52] sts.).

Using No. 10 Needles, work as given from * to ** for Front once, inc. once at each end of needle in 21st and every following 6th row until there are 60 [B—64] sts. on needle.

Continue without shaping until side edge measures 9 [B—10½] ins. from commencement, ending with a purl row.

Dec. once at each end of needle in next and every alt. row until 48 [B—52] sts. remain, then in every row until 24 [B—24] sts. remain. Cast off.

Work another Sleeve in same manner.

THE COLLAR—(Both Sizes). Using a fine back-stitch seam, sew up shoulder seams. With right side of work facing, using four No. 12 Needles and M, knit up 98 sts. evenly round neck (including sts. from stitch holders).

1st round.—* K.1, P.1, rep. from * to end of round. Rep. 1st round thirty-one times. Cast off loosely in rib.

TO MAKE UP—With a slightly damp cloth and warm iron, press lightly. Using a flat seam for ribbing and a fine back-stitch seam for other seams, sew up side and sleeve seams. Sew in sleeves, placing seams to side seams. Finally, press all seams.

THE CAP—Using No. 12 Needles and M, cast on 132 [B—144] stitches.

1st row.—K.2, * P.1, K.1, rep. from * to end of row. Rep. 1st row twenty-six times.

Next row.—* P.2 tog., rib 4, rep. from * to end of row (110 [B—120] sts.).

Using No. 10 Needles and C, proceed as follows:—Work as given from * to ** for Front of Pullover once, dec. once at each end of needle in 11th [B—11th] row, then in every alt. row (92 [B—102] sts.).

Using M only, continue dec. at each end of needle in next and every alt. row until 62 [B—72] sts. remain, then at each end of every row until 28 [B—28] sts. remain.

Next row.—* K.2 tog., rep. from * to end of row. Break off wool, thread through remaining sts., draw up and fasten off securely.

TO MAKE UP—With a slightly damp cloth and warm iron, press lightly. Using a flat seam for ribbing and a fine back-stitch seam, sew up seam. Turn up lower edge for 1½ ins. Make a pom-pom and attach to centre of crown. To make a pom-pom—see page 19. Finally, press seam.

THE TROUSERS.

The Right Leg—Using No. 11 Needles, cast on 74 [B—82] stitches.

1st row.—K.2, * P.1, K.1, rep. from * to end of row. Rep. 1st row five times.

7th row.—K.2, * wl. fwd., K.2 tog., P.1, K.1, rep. from * to end of row.

Rep. 1st row five times. **

Using No. 9 Needles, rep. 1st row once.

In next row.—Purl.

Shape for back as follows:—

1st row.—K.7, turn.

2nd and alt. rows.—Purl.

3rd row.—K.14, turn.

Continue in this manner until row “Knit 49, turn,” has been worked.

In next row.—Purl.

Work 2 rows without shaping.

*** Continue in plain, smooth fabric inc. once at each end of needle in 7th and every following 6th row until there are 96 [B—104] sts. on needle.

Continue without shaping, until work measures 9½ [B—10½] ins. from commencement (measured at short side).

Dec. once at each end of needle in next and every alt. row until 84 [B—92] sts. remain.

Continue without shaping until work measures 21 [B—23] ins. from commencement, ending with a purl row (measured at centre of work).

In next row.—K.2 [B—K.1], * (K.2 tog.) twice, K.1, rep. from * to last 2 [B—1] sts., K.2 [B—K.1] (48 [B—56] sts.).

Using No. 11 Needles, proceed as follows:—

1st row.—K.2, * P.1, K.1, rep. from * to end of row. Rep. 1st row thirty-eight times. Cast off loosely in rib.

THE LEFT LEG—Work exactly as given for Right Leg to **.

Using No. 9 Needles, rep. 1st row once.

In next row.—Knit plain.

Shape for back as follows:—

1st row.—P.7, turn.

2nd and alt. rows.—Knit plain.

3rd row.—P.14, turn.

Continue in this manner until row “Purl 49, turn” has been worked.

Work 4 rows without shaping.

Work to correspond with Right Leg from ***

TO MAKE UP—With a slightly damp cloth and warm iron, press lightly. Using a flat seam for ribbing and a fine back-stitch seam for other seams, sew up back, front and leg seams. Thread elastic through holes at waist. Finally, press all seams.

Eric *(continued from page 9)*

Using No. 7 Needles, proceed as follows:—

1st row.—Knit plain. **2nd row.**—Purl.

Continue in plain, smooth fabric, inc. once at each end of needle in 11th [B—13th] row and every following 12th [B—16th] row until there are 42 [B—44] sts. on needle.

Continue without shaping until side edge measures 9 [B—10] ins. from commencement, ending with a purl row.

Cast off 2 [B—2] sts. at beg. of next 2 rows.

Dec. once at each end of needle in next and every alt. row until 14 [B—14] sts. remain.

Work 1 row without shaping. Cast off.

Work another Sleeve in same manner.

THE FRONT NECKBAND—With right side of work facing and using No. 10 Needles, knit up 36 [B—40] sts. evenly round front of neck.

1st row.—* K.1, P.1, rep. from * to end of row. Rep. 1st row four times. Cast off in rib.

THE BACK NECKBAND—With right side of work facing and using No. 10 Needles, knit up 24 [B—26] sts. evenly round back of neck.

1st row.—* K.1, P.1, rep. from * to end of row. Rep. 1st row four times. Cast off in rib.

TO MAKE UP—With a slightly damp cloth and warm iron, press lightly. Using a flat seam for ribbing and a fine back-stitch seam for other seams, sew up side,

shoulder seams for $\frac{1}{2}$ [B— $\frac{1}{2}$] inch, and sleeve seams. Sew in sleeves, placing seams to side seams. Using No. 7 Needles, knit up 13 sts. along back of left shoulder opening. Work 4 rows in Garter Stitch. Cast off. Work other underlap in same manner. Sew underlaps in position. Sew press studs in position. Finally, press all seams.

Lee *(continued from page 10)*

Shape shoulder as follows:—

1st row.—Work to last 9 [B—10] sts., turn.

2nd row.—Work to end of row. Cast off.

Slip next 19 [B—21] sts. on a stitch holder.

Join in wool at neck edge and work on remaining sts. to correspond with other side.

THE BACK—Work exactly as given for Front to ** Continue in plain, smooth fabric without shaping until armholes measure same as Front armholes.

Shape shoulders as follows:—

1st and 2nd rows.—Work to last 9 [B—10] sts., turn.

3rd and 4th rows.—Work to last 18 [B—20] sts., turn.

5th row.—Work to end of row. Cast off.

THE SHORT SLEEVES—Using No. 12 Needles, cast on 48 [B—52] stitches.

1st row.—K.2, * P.1, K.1, rep. from * to end of row. Rep. 1st row nine [B—nine] times.

Using No. 10 Needles, proceed as follows:—

1st row.—K.4 [B—K.6], * inc. once in next st., K.2, rep. from * to last 2 [B—4] sts., K.2 [B—K.4] (62 [B—66] sts.).

2nd row.—Purl.

3rd row.—Knit plain.

Continue in plain, smooth fabric until side edge measures 2 $\frac{1}{2}$ [B—3] ins. from commencement.



SOME IMPORTANT INFORMATION

Avoid disappointment—buy the wool recommended. Buy wisely — buy enough — the same blend cannot be repeated.



HOW TO CHECK YOUR TENSION—Before you commence knitting, check your tension carefully—on this depends the success of the finished article. Take the wool and needles specified in the instructions, cast on 20 stitches, work 20 rows in plain, smooth fabric. **Lightly** press work. Check the tension by placing an inch tape across the stitches, count the exact number of stitches to one inch and compare with the tension given

in the instructions. All tensions are measured over plain, smooth fabric, lightly pressed. If your tension is too loose, try a size finer needle. If your tension is too tight, try a size coarser needle. If there is more than one size of needle recommended in the recipe and you alter the needles to obtain the correct tension in plain smooth fabric, corresponding alterations must be made to the needles throughout the instructions.

ABBREVIATIONS:

K. = Knit plain
P. = Purl
sts. = stitches
ins. = inches
wl. fwd. = wool forward
p.s.s.o. = pass slip stitch over
w.o.n. = wool over needle

w.r.n. = wool round needle
t.b.l. = through the back of the loop
tog. = together
beg. = beginning
inc. = increase
dec. = decrease

alt. = alternate
rep. = repeat
patt. = pattern
incl. = inclusive
Garter Stitch = every row plain
ch. = chain
s.c. = single crochet

d.c. = double crochet
tr. = treble
h. tr. = half treble
l. tr. = long treble (wool over hook twice)
sl. st. = slip stitch
sp. = space
w.o.h. = wool over hook

When the instructions read: "Cast off 2 stitches, K.2" (or similar stitches), the stitch on the right-hand needle, after casting off, is counted as one stitch.

**** Dec. once at each end of needle in next and every alt. row until 44 [B—48] sts. remain, then in every row until 18 [B—18] sts. remain. Cast off. ****
Work another Sleeve in same manner.

THE LONG SLEEVES—Using No. 12 Needles, cast on 42 [B—46] stitches.

1st row.—K.2, * P.1, K.1, rep. from * to end of row. Rep. 1st row seventeen [B—twenty-one] times.
Using No. 10 Needles, proceed as follows:—

1st row.—Knit plain. **2nd row.**—Purl.
Continue in plain, smooth fabric, inc. once at each end of needle in 3rd and every following 6th row until there are 62 [B—66] sts. on needle.
Continue without shaping until side edge measures 9 [B—10] ins. (or length desired) from commencement. Work as given from ** to ** for Short Sleeves.
Work another Sleeve in same manner.

THE NECKBAND—Using a fine back-stitch seam, sew up right shoulder seam. With right side of work facing, using No. 12 Needles, knit up 82 [B—86] sts. evenly around neck (including sts. from stitch holder).

1st row.—K.2, * P.1, K.1, rep. from * to end of row. Rep. 1st row six times. Cast off in rib.

TO MAKE UP—With a slightly damp cloth and warm iron, press lightly. Using a flat seam for ribbing and a fine back-stitch seam for other seams, sew up side and sleeve seams. Sew up left shoulder seam for $\frac{1}{2}$ an inch. Sew in sleeves, placing seams to side seams. With right side of work facing and using No. 12 Needles, knit up 19 sts. along back of shoulder opening. Work 4 rows in Garter Stitch. Cast off. Sew underlap in position. Using Crochet Hook, work 1 row of d.c. along front of shoulder opening. Sew press studs on shoulder opening. If desired, embroider motif in knitting stitch from page 10. Finally, press all seams.

THE CARDIGAN—"LEE"

THE RIGHT FRONT—Using No. 12 Needles, cast on 46 [B—50] stitches.

1st row.—K.2, * P.1, K.1, rep. from * to end of row. Rep. 1st row twenty-three [B—twenty-seven] times, making a buttonhole in 3rd row from commencement, and following 10th [B—12th] rows twice.

To make a buttonhole: K.2, P.1, K.1, wl. fwd., K.2 tog.t.b.l., rib to end of row.

Proceed as follows:—

1st row.—K.2, (P.1, K.1) three times, leave these 8 sts. on a stitch holder. Using No. 10 Needles, knit plain to end of row.

2nd row.—Purl. **3rd row.**—Knit plain.
Rep. 2nd and 3rd rows twenty-five [B—twenty-eight] times, then 2nd row once [B—once].

Dec. once at front edge in next and following 6th row. Rep. 2nd and 3rd rows once.

Cast off 6 [B—8] sts. at beg. of next row.
Dec. once at front edge in 3rd row, whilst at same time dec. once at end of needle in next and every alt. row three times. (25 [B—27] sts.).

Continue dec. at front edge only in 2nd and every following 6th row until 18 [B—20] sts. remain.
Work 1 [B—1] row without shaping.

Shape shoulder as follows:—

1st row.—Work to last 9 [B—10] sts., turn.

2nd row.—Work to end of row. Cast off.

THE LEFT FRONT—Using No. 12 Needles, cast on 46 [B—50] stitches.

1st row.—* K.1, P.1, rep. from * to last 2 sts., K.2. Rep. 1st row twenty-three [B—twenty-seven] times.

Using No. 10 Needles, proceed as follows:—

1st row.—Knit plain to last 8 sts., leave these sts. on a stitch holder.

Continue to correspond with Right Front, working shapings at opposite ends of needle.

THE BACK—Using No. 12 Needles, cast on 86 [B—94] stitches.

1st row.—K.2, * P.1, K.1, rep. from * to end of row. Rep. 1st row twenty-three [B—twenty-seven] times.
Using No. 10 Needles, proceed as follows:—

1st row.—Knit plain. **2nd row.**—Purl.

Rep. 1st and 2nd rows thirty [B—thirty-three] times.
Cast off 6 [B—8] sts. at beg. of next 2 rows, then dec. once at each end of needle in next and every alt. row until 66 [B—70] sts. remain.

Continue without shaping until armholes measure same as Front armholes.

Shape shoulders as follows:—

1st and 2nd rows.—Work to last 9 [B—10] sts., turn.

3rd and 4th rows.—Work to last 18 [B—20] sts., turn.

5th row.—Work to end of row. Cast off.

THE SLEEVES—Using No. 12 Needles, cast on 46 [B—50] stitches.

1st row.—K.2, * P.1, K.1, rep. from * to end of row. Rep. 1st row seventeen [B—twenty-one] times.

Using No. 10 Needles, proceed as follows:—

1st row.—Knit plain. **2nd row.**—Purl.

Continue in plain smooth fabric, inc. once at each end of needle in 3rd and every following 6th row until there are 66 [B—70] sts. on needle.

Continue without shaping until side edge measures 9 [B—10] ins. (or length desired) from commencement.
Dec. once at each end of needle in next and every alt. row until 46 [B—50] sts. remain, then in every row until 20 sts. remain. Cast off.


Work another Sleeve in same manner.

THE RIGHT FRONT BAND—Using No. 12 Needles, pick up 8 sts. from Right Front stitch holder.


Work in rib until band is long enough to fit up Front and half-way across back of neck, making a buttonhole as before in every following 14th [B—16th] row from previous buttonhole three times (6 buttonholes). Cast off in rib.

THE LEFT FRONT BAND—Using No. 12 Needles, pick up 8 sts. from Left Front stitch holder and work in rib until band is long enough to fit up Front and half-way across back of neck. Cast off in rib.


TO MAKE UP—With a slightly damp cloth and warm iron, press lightly. Using a flat seam for ribbing and a fine back-stitch seam for other seams, sew up side, shoulder and sleeve seams. Sew in sleeves, placing seams to side seams. Using a fine back-stitch seam, sew front bands neatly in position (stretching slightly) and joining at back of neck with a flat seam. Sew on buttons to correspond with buttonholes. If desired, embroider motif in knitting stitch from page 19. Finally, press all seams.




EMBROIDERY CHARTS
FOR "LEE" (CARDIGAN)
—SEE OPPOSITE PAGE
FOR INSTRUCTIONS
AND FRONT COVER
FOR ILLUSTRATION.



To Make a Pom-Pom.—Cut two circles of cardboard, the size of a penny—the diameter depends on the size of the pom-pom you wish to make. Cut a small hole in the centre (about $\frac{1}{4}$ inch in diameter). Wind the wool round and round the cardboard until the centre hole is completely filled up. Place the point of a pair of scissors between the two pieces of cardboard and cut round, keeping the scissors between two circles of cardboard all the time. Using a double strand of wool, wrap round between the two circles of cardboard, knot firmly, and take away cardboard.



KNITTING STITCH



Knitting Stitch is a stitch worked directly over each knitted stitch, with a contrasting colour to represent the same knitted stitch, as before. Each square on the graph represents one stitch.

Insert needle from back of work, in the centre of any stitch and draw through. * Insert needle from right to left, underneath the two loops of the same stitch one row above, and draw through, then insert needle back into original place where needle was first inserted, draw underneath the two loops still working from right to left, and out into the centre of the next stitch, (thus completing one knitting stitch), repeat from * to end of pattern.

All rows of pattern are worked from right to left, then from left to right, till the motif or pattern has been completed.

Very satisfactory results may be obtained by working "4 ply" on "3 ply," "4 ply on 4 ply," "Azalea on Azalea," but do not use "3 ply" on "4 ply."

Published with All Rights Reserved by

PATONS & BALDWIN
(AUSTRALIA) LIMITED

REG. OFFICE: 84-94 FLINDERS LANE, MELBOURNE, C.1 • SYDNEY BRANCH: 181 CLARENCE STREET

Wholly Set Up and Printed in Australia



Trade Marks Registered in Australia

No.
388

Patons

KNITTING BOOK

No.
388



1/9d.

"LEE"—See page 10

"IVAN"—See page 11

P&B
WOOLS